Preauricular Pilonidal Sinus: The first reported case

Abdulwahid M. Salih, Fahmi H. Kakamad

ABSTRACT

Introduction: Pilonidal sinus is a chronic inflammatory condition associated with the penetration of hair fragments into the skin. The incidence of pilonidal sinus is 0.07%. We present the first reported case of pilonidal sinus occurring in preauricular area in a 22-year-old male.

Case Report: A 22-year-old male presented with pain and pus discharge from the right preauricular area since two years. On local examination, a scar measuring 2 cm at right preauricular area was found with one external opening. Routine investigations were within normal limits. Complete excision of the scar with the tract was performed. Primary closure of the wound was done. Histopathological examination confirmed pilonidal sinus.

Conclusion: Pilonidal disease is a complex condition that causes both discomfort and embarrassment to sufferers. The etiological origin of a pilonidal sinus is controversial. Although reported in several rare areas of the body other than sacrococcygeal area, to our knowledge, this is the first reported case in which pilonidal sinus occurs in preauricular area. Although pilonidal sinus is most frequently found in the sacrococcygeal region, it could occur in other area including preauricular area.

International Journal of Case Reports and Images (IJCRI)

International Journal of Case Reports and Images (IJCRI) is an international, peer reviewed, monthly, open access, online journal, publishing high-quality, articles in all areas of basic medical sciences and clinical specialties.

Aim of IJCRI is to encourage the publication of new information by providing a platform for reporting of unique, unusual and rare cases which enhance understanding of disease process, its diagnosis, management and clinico-pathologic correlations.

IJCRI publishes Review Articles, Case Series, Case Reports, Case in Images, Clinical Images and Letters to Editor.

Website: www.ijcasereportsandimages.com

CASE REPORT

PEER REVIEWED | OPEN ACCESS

Preauricular Pilonidal Sinus: The first reported case

Abdulwahid M. Salih, Fahmi H. Kakamad

ABSTRACT

Introduction: Pilonidal sinus is a chronic inflammatory condition associated with the penetration of hair fragments into the skin. The incidence of pilonidal sinus is 0.07%. We present the first reported case of pilonidal sinus occurring in preauricular area in a 22-year-old male. **Case Report:** A 22-year-old male presented with pain and pus discharge from the right preauricular area since two years. On local examination, a scar measuring 2 cm at right preauricular area was found with one external opening. Routine investigations were within normal limits. Complete excision of the scar with the tract was performed. Primary closure of the wound was done. Histopathological examination confirmed pilonidal sinus. **Conclusion:** Pilonidal disease is a complex condition that causes both discomfort and embarrassment to sufferers. The etiological origin of a pilonidal sinus is controversial. Although reported in several rare areas of the body other than sacrococcygeal area, to our knowledge, this is the first reported case in which pilonidal sinus occurs in preauricular

area. Although pilonidal sinus is most frequently found in the sacrococcygeal region, it could occur in other area including preauricular area.

Keywords: Chronic discharging sinus, Hair containing, Pilonidal sinus, Preauricular sinus

How to cite this article

Salih AM, Kakamad FH. Preauricular Pilonidal Sinus: The first reported case. Int J Case Rep Images 2016;7(3):162–164.

Article ID: Z01201603CR10613AS

doi:10.5348/ijcri-201626-CR-10613

INTRODUCTION

Pilonidal sinus is a chronic inflammatory condition associated with the penetration of hair fragments into the skin. It is a blind tract lined with granulation tissue, which ends in a cavity containing pus [1]. It can be a chronic and recurring condition which is sometimes difficult to cure [2]. The incidence of pilonidal sinus is 0.07% and it is higher among men aged between 15 and 30 years [2]. Male sex, young age, hairiness, deep navel and poor personal hygiene were found to be predisposing factors [3]. Pilonidal sinus occurs mainly in the sacrococcygeal area [4]. However, it may also occasionally occur in other areas like axilla, groin, interdigital web, umbilicus, nose, suprapubic area, clitoris, prepuce, penis, or occiput [5].

We present the first reported case of pilonidal sinus occurring in preauricular area in a 22-year-old male.

Abdulwahid M. Salih¹, Fahmi H. Kakamad²

Affiliations: ¹Faculty of Medical Sciences, School of Medicine/ Department Surgery/ University of Sulaimani/ François Mitterrand Street/Sulaymaniyah/IRAQ; ²Faculty of Medical Sciences, School of Medicine/Department Cardiothoracic and Vascular Surgery/ University of Sulaimani/ François Mitterrand Street/Sulaymaniyah/IRAQ.

Corresponding Author: Fahmi Hussein Kakamad, Faculty of Medical Sciences, School of Medicine/Department Surgery/ University of Sulaimani/ François Mitterrand Street/ Sulaymaniyah/IRAQ; Email:

Received: 23 October 2015

Accepted: 23 November 2015

Published: 01 March 2016

CASE REPORT

A 22-year-old male presented with pain and pus discharge from the right preauricular area with intermittent fever since two years. On local examination, a scar measuring 2 cm at right preauricular area was found with one external opening on the center of the scar. Routine investigations were within normal limits. Under local anesthesia, an elliptical incision was taken, complete excision of the scar with the tract was performed. Primary closure of the incision was done. Histopathological examinations showed sinus tract in the center infiltrated by mixed inflammatory cells, associated with foreign body giant cell reaction which contains hair particles (Figure 1). The postoperative course was uneventful. Two months later, wound margin was clear.

DISCUSSION

Pilonidal disease is a complex condition that causes both discomfort and embarrassment to sufferers, and imposes direct costs to the healthcare system and indirect costs to society through absence from work [6]. The etiological origin of a pilonidal sinus is controversial. In the sacrococcygeal region, early reports favored a congenital origin which was unequivocally rejected by clinicians in the second half of the twentieth century [7]. Friction (abduction–adduction), suction, massage, shaving, pounding, minor infection and maceration are assorted mechanisms which play a part in acquired theory of pilonidal sinus [8].

The histological picture and the contents of the pilonidal sinus have been described in detail. All authors agree that the presence of loose hairs is essential for the diagnosis of a pilonidal sinus. Clinically, pilonidal sinus

present as pain, local infection and redness [1]. The commonly adopted surgical techniques in contemporary science for management of pilonidal sinus include incision and drainage, excision and healing by secondary intention, excision and primary closure, and excision with reconstructive flap techniques [6].

Although reported in several rare areas of the body other than sacrococcygeal area, to our knowledge, this is the first reported case in which pilonidal sinus occurs in preauricular area.

CONCLUSION

Pilonidal sinus is most frequently found in the sacrococcygeal region, and is less commonly encountered at other sites. If a hair bearing lesion presents over the face including preauricular area, it could be pilonidal sinus. Histopathological examination is usually confirmatory.

Author Contributions

Abdulwahid M. Salih – Substantial contributions to conception and design, Acquisition of data, Analysis and interpretation of data, Drafting the article, Revising it critically for important intellectual content, Final approval of the version to be published

Fahmi H. Kakamad – Analysis and interpretation of data, Revising it critically for important intellectual content, Final approval of the version to be published

Guarantor

The corresponding author is the guarantor of submission.

Conflict of Interest

Authors declare no conflict of interest.

Copyright

© 2016 Abdulwahid M. Salih et al. This article is distributed under the terms of Creative Commons Attribution License which permits unrestricted use, distribution and reproduction in any medium provided the original author(s) and original publisher are properly credited. Please see the copyright policy on the journal website for more information.

REFERENCES

1. Sreedharan S, Kamath PM, Hegde MC, Subramaniam V, Lobo FD. Pilonidal sinus of nose – A Diagnostic Dilemma. *Jurnalul de Chirurgie, Iasi* 2010;6:3.
2. Shinde P, Toshikhane H. Pilonidal sinus (Nadi vrana): A case study. *Int J Ayurveda Res* 2010 Jul;1(3):181–2.
3. Sengul I, Sengul D, Mocan G. Axillary pilonidal sinus: A case report. *N Am J Med Sci* 2009 Nov;1(6):316–8.

Figure 1: Histological appearance of pilonidal sinus (H&E stain, x100).

4. Søndena K, Andersen E, Nesvik I, Søreide JA. Patient characteristics and symptoms in chronic pilonidal sinus disease. *Int J Colorectal Dis* 1995;10(1):39–42.
5. Eryilmaz R, Sahin M, Okan I, Alimoglu O, Somay A. Umbilical pilonidal sinus disease: predisposing factors and treatment. *World J Surg* 2005 Sep;29(9):1158–60.
6. Oueidat D, Rizkallah A, Dirani M, Assi TB, Shams A, Jurjus A. 25 years' experience in the management of pilonidal sinus disease. *Open Journal of Gastroenterology* 2014;4:1–5.
7. Yavalkar P, Shelke R. Intermammary Pilonidal Sinus: A Case Report. *Indian Journal of Medical Case Reports* 2014;3(2):20–2.
8. Chopade AB, Shojai AR, Jadhav R, Yadav V. Pilonidal sinus over a rare site. *IJSR* 2015;4:(2).

Access full text article on
other devices

Access PDF of article on
other devices

Edorium Journals: An introduction

Edorium Journals Team

About Edorium Journals

Edorium Journals is a publisher of high-quality, open access, international scholarly journals covering subjects in basic sciences and clinical specialties and subspecialties.

Invitation for article submission

We sincerely invite you to submit your valuable research for publication to Edorium Journals.

But why should you publish with Edorium Journals?

In less than 10 words - we give you what no one does.

Vision of being the best

We have the vision of making our journals the best and the most authoritative journals in their respective specialties. We are working towards this goal every day of every week of every month of every year.

Exceptional services

We care for you, your work and your time. Our efficient, personalized and courteous services are a testimony to this.

Editorial Review

All manuscripts submitted to Edorium Journals undergo pre-processing review, first editorial review, peer review, second editorial review and finally third editorial review.

Peer Review

All manuscripts submitted to Edorium Journals undergo anonymous, double-blind, external peer review.

Early View version

Early View version of your manuscript will be published in the journal within 72 hours of final acceptance.

Manuscript status

From submission to publication of your article you will get regular updates (minimum six times) about status of your manuscripts directly in your email.

Our Commitment

Six weeks

You will get first decision on your manuscript within six weeks (42 days) of submission. If we fail to honor this by even one day, we will publish your manuscript free of charge.

Four weeks

After we receive page proofs, your manuscript will be published in the journal within four weeks (31 days). If we fail to honor this by even one day, we will publish your manuscript free of charge and refund you the full article publication charges you paid for your manuscript.

Most Favored Author program

Join this program and publish any number of articles free of charge for one to five years.

Favored Author program

One email is all it takes to become our favored author. You will not only get fee waivers but also get information and insights about scholarly publishing.

Institutional Membership program

Join our Institutional Memberships program and help scholars from your institute make their research accessible to all and save thousands of dollars in fees make their research accessible to all.

Our presence

We have some of the best designed publication formats. Our websites are very user friendly and enable you to do your work very easily with no hassle.

Something more...

We request you to have a look at our website to know more about us and our services.

We welcome you to interact with us, share with us, join us and of course publish with us.

Edorium Journals: On Web

Browse Journals

CONNECT WITH US