A rare case of a plastic foreign body (suction tip) within the soft tissues in the lingual aspect of the mandible

**Eirini Boutiou, Ioannis A. Ziogas, Georgios Koloutsos,
Margarita Vafiadou, Konstantinos Antoniadis**

ABSTRACT

Introduction: A rare occasion for the oral and maxillofacial surgeon as well as the dentist is to find a foreign object in a patient's oral cavity. The underlying etiology may be a trauma, therapeutic interventions (dentoalveolar or implant surgery), or even a tooth dislocation. It may cause symptoms and thus be a reason for the patient to visit the dentist or the oral and maxillofacial surgeon or it can be an incidental finding on radiographic evaluation.

Case Report: A 54-year-old edentulous patient presented with pain upon wearing his lower denture. An orthopantomographic evaluation showed nothing unusual and the patient was scheduled for the removal of a clinically diagnosed lingual exostosis under local anesthesia. Intra-operatively, we found and removed a suction tip, which caused the discomfort. Apparently, it was an iatrogenic leftover from a previous dental therapeutic procedure (an inferior 3rd molar extraction), right after which it was noticed.

Conclusion: The dentist in general should be very careful, when treating his patients, so as not to leave a foreign object in the oral cavity.

International Journal of Case Reports and Images (IJCRI)

International Journal of Case Reports and Images (IJCRI) is an international, peer reviewed, monthly, open access, online journal, publishing high-quality, articles in all areas of basic medical sciences and clinical specialties.

Aim of IJCRI is to encourage the publication of new information by providing a platform for reporting of unique, unusual and rare cases which enhance understanding of disease process, its diagnosis, management and clinico-pathologic correlations.

IJCRI publishes Review Articles, Case Series, Case Reports, Case in Images, Clinical Images and Letters to Editor.

Website: www.ijcasereportsandimages.com

CASE REPORT

PEER REVIEWED | OPEN ACCESS

A rare case of a plastic foreign body (suction tip) within the soft tissues in the lingual aspect of the mandible

Eirini Boutiou, Ioannis A. Ziogas, Georgios Koloutsos,
Margarita Vafiadou, Konstantinos Antoniadis

ABSTRACT

Introduction: A rare occasion for the oral and maxillofacial surgeon as well as the dentist is to find a foreign object in a patient's oral cavity. The underlying etiology may be a trauma, therapeutic interventions (dentoalveolar or implant surgery), or even a tooth dislocation. It may cause symptoms and thus be a reason for the patient to visit the dentist or the oral and maxillofacial surgeon or it can be an incidental finding on radiographic evaluation. **Case Report:** A 54-year-old edentulous patient presented with pain upon wearing his lower denture. An orthopantomographic evaluation showed nothing unusual and the patient was scheduled for the removal of a clinically diagnosed lingual exostosis under local anesthesia. Intra-operatively, we found and removed a suction tip, which caused the discomfort. Apparently, it was an iatrogenic leftover from a previous dental therapeutic procedure (an inferior 3rd molar

extraction), right after which it was noticed. **Conclusion:** The dentist in general should be very careful, when treating his patients, so as not to leave a foreign object in the oral cavity.

Keywords: Adverse event, Foreign bodies, Maxillofacial surgery

How to cite this article

Boutiou E, Ziogas IA, Koloutsos G, Vafiadou M, Antoniadis K. A rare case of a plastic foreign body (suction tip) within the soft tissues in the lingual aspect of the mandible. Int J Case Rep Images 2017;8(11):735–738.

Article ID: Z01201711CR10853EB

doi:10.5348/ijcri-2017114-CR-10853

Eirini Boutiou¹, Ioannis A. Ziogas², Georgios Koloutsos³, Margarita Vafiadou⁴, Konstantinos Antoniadis⁵

Affiliations: ¹Dental Student, School of Dentistry, Aristotle University of Thessaloniki, Thessaloniki, Greece; ²Medical Student, School of Medicine, Aristotle University of Thessaloniki, Thessaloniki, Greece; ³MD, DDS, MSc, PhD, Department of Oral and Maxillofacial Surgery, School of Dentistry, Aristotle University of Thessaloniki, Thessaloniki, Greece; ⁴MD, DDS, Department of Oral and Maxillofacial Surgery, School of Dentistry, Aristotle University of Thessaloniki, Thessaloniki, Greece; ⁵MD, DDS, PhD, Department of Oral and Maxillofacial Surgery, School of Dentistry, Aristotle University of Thessaloniki, Thessaloniki, Greece.

Corresponding Author: Eirini Boutiou, 120 Pileas Street, Thessaloniki, Greece, 54454; Email: mmeirini@dent.auth.gr

Received: 17 August 2017
Accepted: 01 September 2017
Published: 01 November 2017

INTRODUCTION

Coming across a foreign body in the oral cavity is an uncommon event. Foreign bodies can be ingested, aspirated, inserted by certain patient's habits or even accidentally placed by traumatic or iatrogenic injury. They can be fractured burr tips, dislocated teeth, dental implants or restorative material. Most of the times, the foreign bodies are made of plastic, metal, glass and they can be identified on X-ray, computed-tomography (CT) scan and magnetic resonance imaging (MRI) scan [1]. When it comes to the occurrence of an adverse event in relation with dental practice, oral surgery comes third [2]. At the same time cases with residual foreign bodies related to oral and maxillofacial surgery are extremely rare [3]. The majority of them can induce tissue reactions, such as abscess formation, or even a

septicemic or a hemorrhagic event. They may also cause pain, discomfort, functional disorders and infection, but they do not usually threat patient's life [1, 4]. Retrieval of foreign objects can be a challenging and difficult aspect of the therapeutic approach, mostly due to the restricted access of the oral cavity and the close anatomic relations of the foreign body with vital structures, while normal anatomy may also come up with variations [1, 5]. The aim of this case report is to present a case of a patient with an uncommon foreign object in the oral cavity that was identified during surgery.

CASE REPORT

A 54-year-old edentulous man was referred to our outpatient department, complaining of a pain in the deep lingual aspect of the mandible on his left side, when he was wearing his lower denture. His past medical history was free and his surgical history only comprised of an appendectomy. A bulge that was thought to be arising lingually of the left inferior 3rd molar post-extraction socket, right under the internal oblique line, was palpated upon clinical examination and the patient was scheduled for surgical removal of the diagnosed exostosis in order to relieve his relentless pain. Before proceeding in the operation, the patient was radiographically assessed, but nothing unusual was noticed (Figure 1). In the operating room, we performed left inferior alveolar nerve block along with several lingual and parietal local infusions. Then we went on with a longitudinal incision on the edentulous alveolar ridge of the left mandible and we raised the mucoalveolar flap. This revealed an absolutely normal bone surface and at the same time an abnormal mass within the corresponding soft tissues. Initially, it was thought to be a residual root of the 3rd molar (Figure 2), which was extracted several years before. This was a two step procedure for an initial unsuccessful attempt from a dentist was followed by an oral surgeon's intervention. Then as we tried to pull out the foreign object, we surprisingly discovered that it was a suction tip (Figures 3). After removing it, the wound was closed with continuous locked suture (Figure 4). The patient was prescribed antibiotics and analgesics and was discharged.

DISCUSSION

In this case, an adverse event occurred by the previous two step dentist and oral surgeon's intervention, during the extraction of the lower 3rd molar. Unfortunately, we cannot be aware of what exactly happened during this procedure. Thus, a meticulous history of the patient, which can provide more accurate information about the etiology, as well as radiographs are the cornerstone of delivering high quality medical therapy. Radiographs, in particular, can be found very useful, especially in case of a radiopaque foreign body [5]. Regarding radiolucent

objects, such as those made of plastic or wood, CT scan may be the most reliable method. CT scan can also provide information about their relationship with the surrounding anatomical structures [6]. We suggest taking CT preoperatively in case we are aware of a

Figure 1: Orthopantomogram showing left 3rd molar post extraction socket.

Figure 2: Initial contact with the foreign body.

foreign body existence. The fact is that the patient was totally unaware of this and the panoramic X-ray was not indicative of such a case. He was referred to us in order to remove surgically a lingual exostosis. So, no CT scan was prescribed. Clinical presentation can also vary according to the type of the foreign object; steel and glass may not cause severe inflammation, but organic materials can lead to secondary infection with formation of an abscess, or a fistula [3, 7].

Gui et al. [4] reported an increase in the incidence of identifying foreign bodies in the deep maxillofacial area during the last years. Also, it is suggested that all foreign bodies presenting with clinical manifestations or found near vital structures should be removed in order to prevent further complications. A problem that an oral and maxillofacial surgeon may face during the removal procedure is the tendency of the foreign objects to move within the soft tissues, thus implying difficulties due to its mobility. Sometimes fibrous connective tissue can develop around them, just as in this case, which may prevent further movements, hence providing an obvious advantage to the surgeon.

As far as removal of the foreign bodies is concerned, a computer-based image guided navigation system can be beneficial for the surgeon. After acquiring intraoperative three dimensional imaging data of the anatomy, injury to anatomical areas can be prevented and preoperative planning can be improved. Additionally, operating time may be decreased with the simultaneous precision and accuracy of a minimally invasive procedure. However, its implementation depends on the location of the foreign object and as such it cannot be universal [1].

Generally, in order to achieve high-level patient safety, the dentist should be careful enough to prevent adverse events from happening.

Figure 4: Wound closure.

Figure 3: (A) The suction tip throughout the removal from its surgical bed, (B) Out of the oral cavity, and (C) The size of the foreign body.

CONCLUSION

The dentists and the surgeons in general should be very careful, when treating their patients, so as not to leave a foreign object in the oral cavity. However, if an adverse event occurs, the patient should be informed accordingly.

Author Contributions

Eirini Boutiou – Substantial contributions to conception and design, Acquisition of data, Acquisition of data, Analysis and interpretation of data, Drafting the article, Revising it critically for important intellectual content, Final approval of the version to be published

Ioannis A. Ziogas – Acquisition of data, Analysis and interpretation of data, Drafting the article, Revising it critically for important intellectual content, Final approval of the version to be published

Georgios Koloutsos – Substantial contributions to conception and design, Acquisition of data, Acquisition of data, Drafting the article, Revising it critically for important intellectual content, Final approval of the version to be published

Margarita Vafiadou – Substantial contributions to conception and design, Acquisition of data, Acquisition of data, Revising it critically for important intellectual content, Final approval of the version to be published

Konstantinos Antoniadis – Substantial contributions to conception and design, Acquisition of data, Drafting the article, Revising it critically for important intellectual content, Final approval of the version to be published

Guarantor

The corresponding author is the guarantor of submission.

Conflict of Interest

Authors declare no conflict of interest.

Copyright

© 2017 Eirini Boutiou et al. This article is distributed under the terms of Creative Commons Attribution License which permits unrestricted use, distribution and reproduction in any medium provided the original author(s) and original publisher are properly credited. Please see the copyright policy on the journal website for more information.

REFERENCES

1. Siessegger M, Mischkowski RA, Schneider BT, Krug B, Klesper B, Zöller JE. Image guided surgical navigation for removal of foreign bodies in the head and neck. *J Craniomaxillofac Surg* 2001 Dec;29(6):321–5.
2. Perea-Pérez B, Labajo-González E, Santiago-Sáez A, Albarrán-Juan E, Villa-Vigil A. Analysis of 415 adverse events in dental practice in Spain from 2000 to 2010. *Med Oral Patol Oral Cir Bucal* 2014 Sep 1;19(5):e500–5.
3. Park CM, Choi KY, Heo SJ, Kim JS. Unilateral otitis media with effusion caused by retained surgical gauze as an unintended iatrogenic complication of orthognathic surgery: Case report. *Br J Oral Maxillofac Surg* 2014 Sep;52(7):e39–40.
4. Gui H, Yang H, Shen SG, Xu B, Zhang S, Bautista JS. Image-guided surgical navigation for removal of foreign bodies in the deep maxillofacial region. *J Oral Maxillofac Surg* 2013 Sep;71(9):1563–71.
5. Passi S, Sharma N. Unusual foreign bodies in the orofacial region. *Case Rep Dent* 2012;2012:191873.
6. Lydiatt DD, Hollins RR, Moyer DJ, Davis LF. Problems in evaluation of penetrating foreign bodies with computed tomography scans: Report of cases. *J Oral Maxillofac Surg* 1987 Nov;45(11):965–8.
7. Sozutek A, Yormaz S, Kupeli H, Saban B. Transgastric migration of gossypiboma remedied with endoscopic removal: A case report. *BMC Res Notes* 2013 Oct 14;6:413.

Access full text article on
other devices

Access PDF of article on
other devices

Edorium Journals: An introduction

About Edorium Journals

Edorium Journals is a publisher of international, high-quality, open access, scholarly journals covering subjects in basic sciences and clinical specialties and subspecialties.

Invitation for article submission

We sincerely invite you to submit your valuable research for publication to Edorium Journals.

Why should you publish with Edorium Journals?

In less than 10 words: "We give you what no one does".

Vision of being the best

We have the vision of making our journals the best and the most authoritative journals in their respective specialties. We are working towards this goal every day.

Exceptional services

We care for you, your work and your time. Our efficient, personalized and courteous services are a testimony to this.

Editorial review

All manuscripts submitted to Edorium Journals undergo pre-processing review followed by multiple rounds of stringent editorial reviews.

Peer review

All manuscripts submitted to Edorium Journals undergo anonymous, double-blind, external peer review.

Early view version

Early View version of your manuscript will be published in the journal within 72 hours of final acceptance.

Manuscript status

From submission to publication of your article you will get regular updates about status of your manuscripts.

Our Commitment

Six weeks

We give you our commitment that you will get first decision on your manuscript within six weeks (42 days) of submission. If we fail to honor this commitment by even one day, we will give you a 75% Discount Voucher for your next manuscript.

Four weeks

We give you our commitment that after we receive your page proofs, your manuscript will be published in the journal within 14 days (2 weeks). If we fail to honor this commitment by even one day, we will give you a 75% Discount Voucher for your next manuscript.

Favored author program

One email is all it takes to become our favored author. You will not only get 15% off on all manuscript but also get information and insights about scholarly publishing.

Institutional membership program

Join our Institutional Memberships program and help scholars from your institute make their research accessible to all and save thousands of dollars in publication fees.

Our presence

We have high quality, attractive and easy to read publication format. Our websites are very user friendly and enable you to use the services easily with no hassle.

Something more...

We request you to have a look at our website to know more about us and our services. Please visit:
www.edoriumjournals.com

We welcome you to interact with us, share with us, join us and of course publish with us.

Edorium Journals: On Web

Browse Journals

CONNECT WITH US