Post laparoscopic massive vulvar edema in woman with ovarian hyperstimulation syndrome

Negjyp Sopa, Mette Toftager

ABSTRACT

Abstract is not required for Clinical Image

International Journal of Case Reports and Images (IJCRI)

International Journal of Case Reports and Images (IJCRI) is an international, peer reviewed, monthly, open access, online journal, publishing high-quality, articles in all areas of basic medical sciences and clinical specialties.

Aim of IJCRI is to encourage the publication of new information by providing a platform for reporting of unique, unusual and rare cases which enhance understanding of disease process, its diagnosis, management and clinico-pathologic correlations.

IJCRI publishes Review Articles, Case Series, Case Reports, Case in Images, Clinical Images and Letters to Editor.

Website: www.ijcasereportsandimages.com

CLINICAL IMAGE

PEER REVIEWED | OPEN ACCESS

Post laparoscopic massive vulvar edema in woman with ovarian hyperstimulation syndrome

Negjyp Sopa, Mette Toftager

CASE REPORT

A 39-year-old female gravid 2 para 0 referred for in vitro fertilization (IVF) due to previous ectopic pregnancy followed by salpingectomy, presented with acute abdominal pain after IVF treatment. She was treated with a standardized GnRH antagonist protocol, where she received 150 IU of human menopausal gonadotropin (hMG, Menopur®) daily for ten days. Choriogonadotropin (hCG Ovitrelle®) 6500 IU was given to induce ovulation. Twenty-two oocytes were collected from 25 follicles. At day-5 one blastocyst was transferred and pregnancy was achieved. Luteal support was given using vaginal progesterone tablets (Lutinus®) 100 mg three times daily for two weeks. The patient was admitted to hospital eighteen days after oocyte retrieval with acute lower abdominal pain and symptoms of moderate ovarian hyperstimulation syndrome (OHSS). Adnexal torsion was suspected, thus an emergency laparoscopy was performed. Adnexal torsion was not confirmed and the pain was attributed to OHSS. Two days postoperatively, the patient gradually developed a massive vulva edema (Figure 1).

Blood tests showed that p-albumin had decreased significantly to 18 g/L (normal range 36–48 g/L). The patient was treated with infusion of human albumin “CSL Behring” solution for infusion 20% 100 ml daily for one week until p-albumin was within the normal

range. Vulva was completely normalized after one week (Figure 2) and an ultrasound scan showed a normal intrauterine singleton pregnancy in gestational week seven.

DISCUSSION

Very few publications on ovarian hyperstimulation syndrome involve development of vulva edema. The first case describing OHSS and vulva edema was published in 1995 [1]. The suggested etiology was oncotic and hydrostatic pressure imbalance. Multiple treatments with local use of cortisone, antibiotic ointments and ice packs were initiated in combination with OHSS therapy. Another publication including nine cases of severe OHSS where paracentesis was indicated found presentation of unilateral vulva edema when the paracentesis was performed in the lower abdomen [2]. The location of

Figure 1: Massive vulva edema associated with ovarian hyperstimulation syndrome.

Negjyp Sopa¹, Mette Toftager¹

Affiliation: ¹MD, The Fertility Clinic, Rigshospitalet, Copenhagen University Hospital, Copenhagen, Denmark.

Corresponding Author: Negjyp Sopa, MD, The Fertility Clinic, section 4071, Rigshospitalet, Copenhagen University Hospital, Blegdamsvej 9, DK-2100 Copenhagen, Denmark; Email: negjyp.sopa@regionh.dk

Received: 13 November 2017

Accepted: 27 November 2017

Published: 01 January 2018

Figure 2: Vulva was normalized after a week.

the edema corresponded to the puncture side and was developed within less than 24 hours. This may be due to a fistula between the peritoneum and subcutaneous tissue caused by the paracentesis together with the increased intraabdominal pressure due to ascites, which forces the passage of fluid to the labia presenting as edema. Patients in whom were paracentesis was performed in the abdominal hypochondriac regions, and no development of vulva edema were seen. The same process is described in another case [3], and also in cirrhotic men and women suffering from scrotal and vulva edema, respectively, after paracentesis [4, 5]. Presentation of bilateral vulvar edema after transvaginal paracentesis has been described [6]. Vulva edema after laparoscopic surgery has been described previously, however, without association to IVF treatment and development of OHSS [7–9]. The pathogenesis of post laparoscopic vulvar edema is still unclear. In case, the patient developed OHSS laparoscopic surgery after IVF treatment after which. We believe that the rapid decrease of p-albumin to levels significant below normal range has contributed to the development of the vulva edema, with diminished oncotic pressure. One could further speculate that placement of the laparoscopic ports may have create a fistula where ascites fluid is forced into the interstitial space of the vulva area. The patient was successfully treated with infusion of human albumin.

CONCLUSION

We present a rare manifestation of ovarian hyperstimulation syndrome and massive vulvar edema, after laparoscopic surgery. Infusion of human albumin

normalized the vulva completely and gives the impression that hypoalbuminemia is important for the development of vulva edema.

REFERENCES

1. Coccia ME, Bracco GL, Cattaneo A, Scarselli G. Massive vulvar edema in ovarian hyperstimulation syndrome: A case report. *J Reprod Med* 1995 Sep;40(9):659–60.
2. Luxman D, Cohen JR, Gordon D, Wolman I, Wolf Y, David MP. Unilateral vulvar edema associated with paracentesis in patients with severe ovarian hyperstimulation syndrome: A report of nine cases. *J Reprod Med* 1996 Oct;41(10):771–4.
3. Vavilis D, Tzitzimikas S, Agorastos T, Loufopoulos A, Tsalikis T, Bontis JN. Postparacentesis bilateral massive vulvar edema in a patient with severe ovarian hyperstimulation syndrome. *Fertil Steril* 2002 Apr;77(4):841–3.
4. Conn HO. Sudden scrotal edema in cirrhosis: A postparacentesis syndrome. *Ann Intern Med* 1971 Jun;74(6):943–5.
5. Marks JW, Weil F. Conn's sudden labial edema. *Ann Intern Med* 1971 Nov;75(5):810.
6. Bhairavi S, Rajendran J, Dash S, Dash S. Postparacentesis vulvar edema in ovarian hyper stimulation syndrome. *Int J Reprod Contracept Obstet Gynecol* 2016 Nov;5(11):4064–6.
7. Trout SW, Kemmann E. Vulvar edema as a complication of laparoscopic surgery. *J Am Assoc Gynecol Laparosc* 1996 Nov;4(1):81–3.
8. Guven S, Guven ES, Ayhan A. Vulvar edema as a rare complication of laparoscopy. *J Am Assoc Gynecol Laparosc* 2004 Aug;11(3):429–32.
9. Pados G, Vavilis D, Pantazis K, Agorastos T, Bontis JN. Unilateral vulvar edema after operative laparoscopy: A case report and literature review. *Fertil Steril* 2005 Feb;83(2):471–3.

Keywords: In vitro fertilization, Massive vulvar edema, Ovarian hyperstimulation syndrome

How to cite this article

Sopa N, Toftager M. Post laparoscopic massive vulvar edema in woman with ovarian hyperstimulation syndrome. *Int J Case Rep Images* 2018;9(1):66–68.

Article ID: Z01201801CL10140NP

doi: 10.5348/ijcri-201802-CL-10140

Author Contributions

Negjyp Sopa – Substantial contributions to conception and design, Acquisition of data, Analysis and interpretation of data, Drafting the article, Revising it critically for important intellectual content, Final approval of the version to be published

Mette Toftager – Substantial contributions to conception and design, Acquisition of data, Analysis and interpretation of data, Drafting the article, Revising it critically for important intellectual content, Final approval of the version to be published

Guarantor of Submission

The corresponding author is the guarantor of submission.

Source of Support

None

Consent Statement

Written informed consent was obtained from the patient for publication of this case report.

Conflict of Interest

Authors declare no conflict of interest.

Copyright

© 2018 Negjyp Sopa et al. This article is distributed under the terms of Creative Commons Attribution License which permits unrestricted use, distribution and reproduction in any medium provided the original author(s) and original publisher are properly credited. Please see the copyright policy on the journal website for more information.

Access full text article on
other devices

Access PDF of article on
other devices

Edorium Journals: An introduction

About Edorium Journals

Edorium Journals is a publisher of international, high-quality, open access, scholarly journals covering subjects in basic sciences and clinical specialties and subspecialties.

Invitation for article submission

We sincerely invite you to submit your valuable research for publication to Edorium Journals.

Why should you publish with Edorium Journals?

In less than 10 words: "We give you what no one does".

Vision of being the best

We have the vision of making our journals the best and the most authoritative journals in their respective specialties. We are working towards this goal every day.

Exceptional services

We care for you, your work and your time. Our efficient, personalized and courteous services are a testimony to this.

Editorial review

All manuscripts submitted to Edorium Journals undergo pre-processing review followed by multiple rounds of stringent editorial reviews.

Peer review

All manuscripts submitted to Edorium Journals undergo anonymous, double-blind, external peer review.

Early view version

Early View version of your manuscript will be published in the journal within 72 hours of final acceptance.

Manuscript status

From submission to publication of your article you will get regular updates about status of your manuscripts.

Our Commitment

Six weeks

We give you our commitment that you will get first decision on your manuscript within six weeks (42 days) of submission. If we fail to honor this commitment by even one day, we will give you a 75% Discount Voucher for your next manuscript.

Four weeks

We give you our commitment that after we receive your page proofs, your manuscript will be published in the journal within 14 days (2 weeks). If we fail to honor this commitment by even one day, we will give you a 75% Discount Voucher for your next manuscript.

Favored author program

One email is all it takes to become our favored author. You will not only get 15% off on all manuscript but also get information and insights about scholarly publishing.

Institutional membership program

Join our Institutional Memberships program and help scholars from your institute make their research accessible to all and save thousands of dollars in publication fees.

Our presence

We have high quality, attractive and easy to read publication format. Our websites are very user friendly and enable you to use the services easily with no hassle.

Something more...

We request you to have a look at our website to know more about us and our services. Please visit:
www.edoriumjournals.com

We welcome you to interact with us, share with us, join us and of course publish with us.

Edorium Journals: On Web

Browse Journals

CONNECT WITH US